My No: MSD/SCU(S)/Cir/2024
Medical Supplies Division
357, Ven. Baddegama Wimalawansa Thero Mawatha,
Colombo 10
Tel: (011)2694114/13
15 -05-2024

Circular No: **MSD/Q/P/2024/15**

To :
DDG/NHSL - Colombo
DDG/NH - Kandy
All Provincial Directors of Health Services,
All Regional Directors of Health Services,
All Directors of Teaching Hospitals,
All Directors District General Hospitals,
All Directors General & Base Hospitals,
All Directors of Specialized Campaigns,
Director, N.I.H.S Kalutara,
All MOIC/MOH- Institutions,
MOIC/Medical Institutions of Line Ministry,

REPORT ON FAILING SAMPLE – Co-Amoxiclav Inj 500mg/100mg Vial
MSD ORDER LIST NO: 2023/MSD/N/R/P/00005 **PA Order No: MSD/SB08/LM/41/2023**

1. Re-above, details of the report NDL/B/DU/A23/2004 dated 09.05.2024 received from Director/ NMQAL are given below for your information please

1.1) Name of the product/ Item	: **Co- Amoxiclav Inj 500mg/100mg Vial** **Co Amoxicalv for Injection BP 600mg (Uniclav 600)**
SR No	: **00100904**
1.2) Manufacturer	: Navesta Pharmaceuticals (Pvt) Ltd.107A, Nakandala Road, Kindelpitiya, Millewa, Horana, Sri Lanka.
1.3) Batch No	: **040623AMC1**
1.4) Date of Manufacture	: 06-2023
1.5) Date of Expiry	: 05-2025
1.6) NMQAL LR No	: 39474
1.7) Analytical Report	: **Sample does not conform to BP specification with respect to the particulate contamination-visible particles.**
1.8) NMQAL Recommendation	: **To withdraw the above batch.**

2. CEO-NMRA Instruction : **To withdraw the above batch from use immediately.**

3. Considering above facts, you are requested the following

3.1) **To withdraw the above batch from use immediately.**

3.2) To inform details of all batches available of this product to D/NMQAL, 120 Norris Canal Road, Colombo 10, to enable them to select samples for further testing and provide sample on request to NMQAL.

4. Please note: It would be your responsibility,
4.1) To follow the instructions given by Secretary of Health, under the circular No: 01/2021 dated 08.12.2021.

5. 5.1) Please bring the contents of the circular to all concerned in your Province/ Region/ Institution.

5.2) Please Note: It is the responsibility of all RDHS to ensure that the copies of this circular is circulated among all the heads of the institutions under your preview.

6. Previous Circulars

Circular No	Batch	Decision
MSD/Q/P/2024/11	121123AMC1	Batch Withhold
P-34/47/2019	020218AMC1	Batch Withhold

Dr. Dedunu Dias.
Director (Acting),
Medical Supplies Division,

Dr. DEDUNU DIAS
Director - (Acting)
Medical Supplies Division
Rev. Baddegama Wimalawansa Thero Mw;
Colombo 10.

Cc:

1. Auditor General - f.i
2. DGHS-f.i
3. Chairman/SPC - f.i. & n.a
4. DDG(M/S) - f.i.
5. CEO/ NMRA - f.i. & n.a.
6. Secretary/MEC - f.i
7. **D/NMQAL** - In the event that obtaining samples from 05 different batches is not possible, to inform D/MSD to Send samples from available batches.
8. Chief Internal Auditor/ MOH-f.i
9. D/(Stock Verific.)/MOH - f.i.
10. DD/MSD - f.i. & n.a.
11. Chief Accountant/MSD-f.i & n.a
12. AD (Stores)/MSD - f.i.
13. **Acct(S)MSD** - To make arrangement to recover the value of relevant quantity from the supplier.
14. AD (Dispatch)/MSD - f.i.
15. AD/ICT Unit - to publish in MSD web site
16. **AD (P)/MSD** - To ensure that SCO concerned provide the required information to NMQAL
17. All DP/DPDHS - f.i. & n.a
18. SP / MSD - f.i & n.a
19. HSCO (P1) - f.i. & n.a.
20. **SCO (S/WH 01)-** To send consignment details, storage condition and other relevant details of above product as per No:08 of NDL Form No:02
21. SCO (D/WH 01)-f.i & n.a
22. MSA-WH (01)/MSD - f.i. & n.a.
23. MO (Technical unit)/MOH-f.i & n.a
22. H/Destruction Unit (MSD) - f.i & n.a