

My No: MSD/SCU(S)/Cir/2024
Medical Supplies Division
357, Ven. Baddegama Wimalawansa Thero Mawatha,
Colombo 10
Tel: (011)2694114/13
UD -03-2024

Circular No: **MSD/Q/P/2024/2**

To :

DDG/NHSL - Colombo
DDG/NH - Kandy
All Provincial Directors of Health Services,
All Regional Directors of Health Services,
All Directors of Teaching Hospitals,
All Directors of Specialized Campaigns,
Director, N.I.H.S Kaluthara,
All MOIC/MOH- Institutions,
MOIC/Medical Institutions of Line Ministry

REPORT ON FAILING SAMPLE – Gliclazide Tab 40mg

1. Re-above, details of the letter NMRA/CP/P32/QF30/2021 dated 05.03.2024 received from CEO/NMRA are give below for your information please

1.1) Name of the product/ Item	: Gliclazide Tab 40mg (Gliclazide Tablets BP 40mg)
SR	: 00700301
1.2) Batch No	: All batches manufactured on or before 31.05.2023
1.3) Manufacturer	: State Pharmaceuticals Manufacturing Corporation, Rathmalana, Sri Lanka.
1.4) Recall Management Committee: Recommendation (held on 05.03.2024)	: The test reports of the batches manufactured in June 2023 onwards were randomly tested at the NMQAL and the independent laboratory test report provides by the manufacturer and finding of GMP inspection of the manufacture were considered to make the recommendation. The product withdrawal decision will be revoked by the NMRA and subsequently initiate batch withdrawal for batches manufactured on or before 31 st of May 2023.
2. CEO-NMRA Instruction	: To revoke the product withdrawal decision and withdraw all batches manufactured on or before 31st of May 2023 from used immediately.
3. Considering above facts, you are requested the following	
3.1) To revoke the product withdrawal decision and withdraw all batches manufactured on or before 31st of May 2023 from use immediately.	
3.2) To inform details of all batches available of this product to D/NMQAL, 120 Norris Canal Road, Colombo 10, to enable them to select samples for further testing and provide sample on request to NMQAL.	
4. Please note: It would be your responsibility,	
4.1) To follow the instructions given by Secretary of Health, under the circular No: 01/2021 dated 08.12.2021.	

5. 5.1) Please bring the contents of the circular to all concerned in your Province/ Region/ Institution.

5.2) Please Note: It is the responsibility of all RDHS to ensure that the copies of this circular is circulated among all the heads of the institutions under your preview.

6. Previous Circulars

Circular No	Batch	Decision
MSD/Q/P/2022/1	HLD04	Batch Withdraw
MSD/Q/P/2022/14	HLE03	Batch Withdraw
MSD/Q/P/2022/20	HLH07	Batch Withdraw
MSD/Q/P/2023/47	Product	Product Withdraw

Medical Supplies Division
Dr. Dedundu Dias. Rev. Baddegama and Dr. Arachchya Thero Mw;
Director (Acting),
Medical Supplies Division

Dr. DEDNU DIAS
Director (Acting)
Medical Supplies Division
Baddegama, Colombo 19.

Cc: