

My No: MSD/SCU(S)/Cir/2024  
Medical Supplies Division  
357, Ven. Baddegama Wimalawansa Thero Mawatha,  
Colombo 10  
Tel: (011)2694114/13  
19 -12-2024

Circular No: **MSD/Q/P/2024/47**

To :

DDG/NHSL - Colombo  
DDG/NH - Kandy  
All Provincial Directors of Health Services,  
All Regional Directors of Health Services,  
All Directors of Teaching Hospitals,  
All Directors of Specialized Campaigns,  
Director, N.I.H.S Kalutara,  
All MOIC/MOH- Institutions,  
MOIC/Medical Institutions of Line Ministry,

**REPORT ON FAILING SAMPLE – Calcium Gluconate Injection 10% in 10mL Ampoule.**

1. Re-above, details of the Letter No: NMRA/PA3/QF02/2024 dated 12.12.2024 received from CEO/NMRA, are given below for your information please.

1.1) Name of the product/ Item : **Calcium Gluconate injection 10% in 10mL Ampoule.**  
**Calcium Gluconate Injection I.P. 10mL.**

SR : **00401701**

1.2) Batch No : **Product**

1.3) Manufacturer : **Coax bioremedies Pvt Ltd, Plot No 83, Sector 27-28, Industrial area, Hisar, Haryana, India.**

1.4) NMQAL LR No : **39739, 39735, 39670**

1.5) Failure/Defect : **Samples are unsatisfactory due to presence of white particles in the solutions in almost all ampoules.**

1.6) SAFRESC Recommendation held on 10.12.2024 : **To withdraw the above mentioned product.**

2. CEO-NMRA Instruction : **To withdraw the above product from use immediately.**

3. Considering above facts, you are requested the following

3.1) **To withdraw the above product (as detailed in 1.1-1.3 above) from use immediately.**

3.2) To inform details of all batches available of this product to D/NMQAL, 120 Norris Canal Road, Colombo 10, to enable them to select samples for further testing and provide sample on request to NMQAL.

4. Please note: It would be your responsibility,

4.1) To follow the instructions given by Secretary of Health, under the circular No: 01/2021 dated 08.12.2021.

5. 5.1) Please bring the contents of the circular to all concerned in your Province/ Region/ Institution.

5.2) Please Note: It is the responsibility of all RDHS to ensure that the copies of this circular is circulated among all the heads of the institutions under your preview.

## 6. Previous Circulars

**Circular No**  
**MSD/Q/P/2024/05**

Batch  
BN423

## Decision

Dr. Dedunu Dias,  
Director (Acting),  
Medical Supplies Division,

Dr. DEDUNU DIAS  
Director - (Acting)  
Medical Supplies Division  
Rev. Baddegama Wimalawansa Thero Mw;  
Colombo 10.

Cc: