

Circular No: **MSD/Q/P/2025/7**

My No: MSD/SCU(S)/Cir/2025  
Medical Supplies Division  
357, Ven. Baddegama Wimalawansa Thero Mawatha,  
Colombo 10  
Tel: (011)2694114/13  
A -01-2025

To :

DDG/NHSL - Colombo  
DDG/NH - Kandy  
All Provincial Directors of Health Services,  
All Regional Directors of Health Services,  
All Directors of Teaching Hospitals,  
All Directors of Specialized Campaigns,  
Director, N.I.H.S Kalutara,  
All MOIC/MOH- Institutions,  
MOIC/Medical Institutions of Line Ministry

**REPORT ON FAILING SAMPLE – Phenobarbital Injection 200mg/mL Ampoule**

**MSD ORDER LIST No: 2022/SPC/X/R/P/0029**

**PA No: DHS/ICL/TN/496/202**

1. Re-above, details of the Letter No: NMRA/P32/QF19/2024 dated 06.01.2025 received from CEO/ NMRA, are given below for your information please.

1.1) Name of the product/ Item : **Phenobarbital Injection 200mg/mL Ampoule**  
**Phenobarbital Injection BP 200mg/mL**

SR : **00303604**

1.2) Manufacturer : Verve Human Care Laboratories, 15-A, Pharma City Selaqui, Dehradun- 248011, Uttarakhand, India

1.3) Batch No. : **EP1342302**

1.4) Date of Manufacture : **01.04.2023**

1.5) Date of Expiry : **31.05.2025**

1.6) NMQAL LR No : **39647**

1.7) Failure : **Failure to comply with BP specifications with respect to the test carried out for particulate contamination for visible particles**

1.8) Recommendation of NMRA : With reference to the decision of the Safety and Risk Evaluation Subcommittee dated 02.01.2025 based on the NMQAL report LR 39647

2. CEO-NMRA Instruction : **To withdraw the above batch from use immediately.**

3. Considering above facts, you are requested the following

3.1) **To withdraw the above batch (as detailed 1.1-1.5 above) from use immediately.**

3.2) To inform details of all batches available of this product to D/NMQAL, 120 Norris Canal Road, Colombo 10, to enable them to select samples for further testing and provide sample on request to NMQAL.

4. Please note: It would be your responsibility,

4.1) To follow the instructions given by Secretary of Health, under the circular No: 01/2021 dated 08.12.2021.

5. 5.1) Please bring the contents of the circular to all concerned in your Province/ Region/ Institution.

5.2) Please Note: It is the responsibility of all RDHS to ensure that the copies of this circular is circulated among all the heads of the institutions under your preview.

## 6. Previous Circulars

<b>Circular No</b>	<b>Batch</b>	<b>Decision</b>
MSD/Q/P/2024/53	EP1342302	Batch Withhold

  
Dr. Dedunu Dias.  
Director (Acting),  
Medical Supplies Division,

**Dr. DEDUNU DIAS**  
Director - (Acting)  
Medical Supplies Division  
Rev. Baddegama Wimalawansa Thero Mw:  
Colombo 10.

Cc:

1. Auditor General - f.i	2.DGHS-f.i	
3. Chairman/SPC – f.i & n.a.	4. DDG(M/S) - f.i.	5.CEO/ NMRA - f.i. & n.a.
6. Secretary/MEC - f.i		
7. D/NMQAL – f.i.		
8. Chief Internal Auditor/ MOH-f.i	9.D/(Stock Verification)/MOH - f.i.	10. DD/MSD - f.i. & n.a.
11. AD (Stores)/MSD - f.i.		
<b>12. Chief Accountant/MSD</b> - To make arrangements to recover the relevant charges.		
<b>13. Acct(S)MSD</b> – To make arrangements to recover the relevant charges.		
14. AD (Dispatch)/MSD - f.i.	15. AD/ICT Unit - to publish in MSD web site	
<b>16. AD (P)/MSD</b> – f.i. & n.a.		
17. All DP/DPDHS - f.i. & n.a	18. SP/MSD - f.i & n.a	19.HSCO (P2) - f.i. & n.a.
<b>20. SCO (S/WH 03)</b> - f.i & n.a	22.MSA-WH (03)/MSD - f.i. & n.a.	23. MO (Technical unit)/MOH-f.i & n.a
21. SCO (D/WH 03)-f.i & n.a		
24. H/Destruction Unit (MSD) - f.i & n.a.		