

දුරකථන  
දුරකථන  
Telephones } 694113  
694114  
686528-30

විදුලි තැපෑල  
විදුලි තැපෑල  
Telegrams } රජ මහා විද්‍යාල  
විද්‍යාල  
MEDSTORES

ෆැක්ස්  
ෆැක්ස්  
Fax } 941-697096

කැබල්  
කැබල්  
Cables } GOVTDRUG

ඔබේ අංකය  
ඔබේ අංකය  
My No. } MSD/SCO-01D/E/00100801/ 00100805 /2026-6-1

ඔබේ අංකය  
ඔබේ අංකය  
Your No. }



වෛද්‍ය සැපයීම් අංශය  
(සෞඛ්‍ය සේවා දෙපාර්තමේන්තුව)  
வைத்திய விநியோகப்பகுதி  
(සෞඛ්‍ය සේවා දෙපාර්තමේන්තුව)  
**MEDICAL SUPPLIES DIVISION**  
(Department of Health Services)

අංක 357, බද්දේගම විමලවංශ මාවත, කොළඹ 10, ශ්‍රී ලංකාව.  
இல. 357, பட்டேகம விமலவாள் மாநகரம், கொழும்பு 10, இலங்கை.  
No. 357, Baddegama Wimalawansa Mawatha, Colombo 10, Sri Lanka.

ප.ම.ප. } 1679  
P.O.Box }

දිනය/Date : 08/06/2026

DDG/NHSL (Colombo),  
DDG/NH (Kandy),  
DDG/NH (Galle) ,  
Directors of Teaching Hospitals.


**Collecting of remaining expired stock details of Flucloxacillin capsule 500mg/250mg**

**Name of the Item : Flucloxacillin Capsule 500mg/ Flucloxacillin capsule 250mg**  
**SR number : 00100801/ 00100805**  
**Manufacturer : State Pharmaceuticals Manufacturing Corporation**

This has reference to the above item.  
MSD has received Flucloxacillin Capsule 500mg/ Flucloxacillin capsule 250mg with assurance from State Pharmaceuticals Manufacturing Corporation.

Please be good enough to provide the remaining unused quantity at the time of expiry for the years 2022, 2023, 2024, 2025, and up to 01.06.2026.

If any remaining quantity has already been discarded, kindly include such quantities as well when calculating and reporting the total unused quantity.  
We would appreciate receiving a year-wise breakdown together with the total unused quantity for the above period.  
Even if there is no remaining expired stock, send it as zero.  
Information regarding the Cumulative value of expired items listed above in institution is urgently required by the Medical Supplies Division.  
This information is essential to obtain relevant reimbursement from the respective companies for the expired items. Please take the necessary action to submit this information to Medical Supplies Division before 12<sup>th</sup> June 2026 disregarding the details previously provided on demand, please treat this as our final request and share the relevant facts and supporting information.  
(Fax Number No- 011-2686530, email : [dmsd@msd.gov.lk](mailto:dmsd@msd.gov.lk), [sco.pd1@msd.gov.lk](mailto:sco.pd1@msd.gov.lk) )

  
**Dr. DEDUNU DIAS**  
Director - (Acting)  
Medical Supplies Division  
..... Rev. Baddegama Wimalawansa Thero Mw,  
Director  
Medical Supplies Division  
Colombo 10.





දුරකථන } 694113  
 தொலைபேசி } 694114  
 Telephones } 686528-30

දුරකථන } රජ බඩොස්  
 தொலைபேசி } மரு. சரঞ্জியின்  
 Telegrams } MEDSTORES

ෆැක්ස් } 941-697096  
 தொலைபேசி }  
 Fax } GOVTRUG

காபி }  
 தொலைபேசி }  
 Cables } GOVTRUG

මගේ අංකය } MSD/SCO-01D/E/00100201 /2026-6-1  
 எனது இல. }  
 My No. }

ඔබේ අංකය }  
 உமது இல. }  
 Your No. }



වෛද්‍ය සැපයීම් අංශය  
 (සෞඛ්‍ය සේවා දෙපාර්තමේන්තුව)  
 வைத்திய விநியோகப்பகுதி  
 (සෞඛ්‍ය සේවා දෙපාර්තමේන්තුව)  
**MEDICAL SUPPLIES DIVISION**  
 (Department of Health Services)

අංක 357, බද්දේගම විමලවංශ මාවත, කොළඹ 10, ශ්‍රී ලංකාව.  
 இல. 357, பத்தேகம் விமலவாசர் மாவுத்தா, கொழும்பு 10, இலங்கை.  
 No. 357, Beddegama Wimalawansa Mawatha, Colombo 10, Sri Lanka.

ප.ම.බ. } 1679  
 P.O.Box }

දිනය/திகதி/Date : 08/06/2026

DDG/NHSL (Colombo),  
 DDG/NH (Kandy),  
 DDG/NH (Galle),  
 Directors of Teaching Hospitals.

**Collecting of remaining expired stock details of Benzyl penicillin Injection 1,000,000 IU Vial**

**Name of the Item** : Benzyl penicillin Injection 1,000,000 IU Vial  
**SR number** : 00100201  
**Manufacturer** : Navesta Pharmaceuticals Pvt Limited

This has reference to the above item.

MSD has received Benzyl penicillin Injection 1,000,000 IU Vial with assurance from Navesta Pharmaceuticals Pvt Limited for following batch numbers.

Batch Numbers	Exp Date	Batch Numbers	Exp Date	Batch Numbers	Exp Date
211023BZP1	09-2025	221020BZP1	09-2022	010120BZP1	12-2021
221023BZP1	09-2025	010121BZP1	12-2022	030120BZP1	12-2021
160923BZP1	08-2025	020121BZP1	12-2022	221018 BZP1	09-2020
210920BZP1	08-2022	030221BZP1	01-2023	231118 BZP1	08-2020
090424BZP1	2026-03-31				

Please be good enough to provide the remaining unused quantity at the time of expiry for the above batch numbers. If any remaining quantity has already been discarded, kindly include such quantities as well when calculating and reporting the total unused quantity.

Even if there is no remaining expired stock, send it as zero.

Information regarding the Cumulative value of expired items listed above in institution is urgently required by the Medical Supplies Division.

This information is essential to obtain relevant reimbursement from the respective companies for the expired items. Please take the necessary action to submit this information to Medical Supplies Division before 24<sup>th</sup> June 2026 disregarding the details previously provided on demand, please treat this as our final request and share the relevant facts and supporting information.

(Fax Number No- 011-2686530, email : dmsd@msd.gov.lk, sco.pdl@msd.lk)

.....  
 Director  
 Medical Supplies Division  
 Beddegama Wimalawansa Thero Mw,  
 Colombo 10.

දුරකථන  
දුරකථන  
Telephones } 694113  
694114  
686528-30

දුරකථන  
දුරකථන  
Telegrams } රජ. වෛද්‍ය  
විද්‍යාගාරය  
MEDSTORES

ෆැක්ස්  
ෆැක්ස්  
Fax } 941-697096

කැබ්ලි  
කැබ්ලි  
Cables } GOVTDRUG

මගේ අංකය  
මගේ අංකය  
My No. } MSD/SCO-01D/E/00100201 /2026-6-3

ඔබේ අංකය  
ඔබේ අංකය  
Your No. }



වෛද්‍ය සැපයීම් අංශය  
(සෞඛ්‍ය සේවා දෙපාර්තමේන්තුව)  
වෛද්‍ය සැපයීම් විநிශ්චායනායතන  
(සෞඛ්‍ය සේවා දෙපාර්තමේන්තුව)  
**MEDICAL SUPPLIES DIVISION**  
(Department of Health Services)

අංක 357, බද්දේගම විමලවංශ මාවත, කොළඹ 10, ශ්‍රී ලංකාව.  
இல. 357, பத்தேகல விமலவாசல அலகத்த, கலமுபு 10, இலங்கை.  
No. 357, Baddegama Wimalawansa Mawatha, Colombo 10, Sri Lanka.

ප. ම. ප. ම. } 1679  
P.O.Box }

දිනය/திகதி/Date : 08/06/2026

DDG/NHSL (Colombo),  
DDG/NH (Kandy),  
DDG/NH (Galle) ,  
Directors of Teaching Hospitals.

**Collecting of remaining expired stock details of of Benzyl penicillin Injection1,000,000 IU Vial without assurance**

**Name of the Item : Benzyl penicillin Injection1,000,000 IU Vial**  
**SR number : 00100201**  
**Manufacturer : Navesta Pharmaceuticals Pvt Limited**

This has reference to the above item.

MSD has received Benzyl penicillin Injection1,000,000 IU Vial without assurance from Navesta Pharmaceuticals Pvt Limited for following batch numbers etc which has expiry date 2025 and 2026.

Batch Numbers	Exp Date
070324BZP1	2026-02-28
080424BZP1	2026-03-31
100424BZP1	2026-03-31
120524BZP1	2026-04-30
110524BZP1	2026-04-30

Please be good enough to provide the remaining unused quantity at the time of expiry for the any other batches except 211023BZP1,221023BZP1,160923BZP1,210920BZP1,090424BZP1 batch numbers which are available unserviceable with you. If any remaining quantity has already been discarded, kindly include such quantities as well when calculating and reporting the total unused quantity. Even if there is no remaining expired stock, send it as zero.

Information regarding the Cumulative value of expired items listed above in institution is urgently required by the Medical Supplies Division.

This information is essential to obtain relevant reimbursement from the respective companies for the expired items. Please take the necessary action to submit this information to Medical Supplies Division before 24<sup>th</sup> June 2026 disregarding the details previously provided on demand, please treat this as our final request and share the relevant facts and supporting information.

(Fax Number No- 011-2686530, email : dmsd@msd.gov.lk,sco.pd1@msd.lk)

.....  
Director  
Medical Supplies  
Dr. DEDUNU DIAS  
Director - (Acting)  
Medical Supplies Division  
Rev. Baddegama Wimalawansa Thero Mw.  
Colombo 10.

දුරකථන } 694113  
 දුරකථන } 694114  
 Telephones } 686528-30  
 විදුලි තැපෑල } රජ බණ්ඩාර }  
 Telegrams } මොණරාගල } MEDSTORES  
 ෆැක්ස් } 941-697096  
 Fax }  
 කැබල් } GOVTDRUG  
 Cables }  
 මගේ අංක } MSD/SCO-01D/E/00102102 /2026-6-1  
 My No. }  
 ඔබේ අංක }  
 Your No. }



වෛද්‍ය සැපයීම් අංශය  
 (සෞඛ්‍ය සේවා දෙපාර්තමේන්තුව)  
 வைத்திய விநியோகப்பகுதி  
 (සෞඛ්‍ය සේවා දෙපාර්තමේන්තුව)  
**MEDICAL SUPPLIES DIVISION**  
 (Department of Health Services)

අංක 357, බද්දේගම විමලවංශ මාර්ග, කොළඹ 10, ශ්‍රී ලංකාව.  
 இல. 357, பட்டினத்தலை விமலவாசல தாவரத்த, கொழும்பு 10, இலங்கை.  
 No. 357, Baddegama Wimalawansa Mawatha, Colombo 10, Sri Lanka.

දු.ම. } 1679  
 P.O.Box }

දිනය/Date : 18/06/2026

DDG/NHSL (Colombo),  
 DDG/NH (Kandy),  
 DDG/NH (Galle) ,  
 Directors of Teaching Hospitals,

**Collecting of remaining expired stock details of Meropenem Injection 1g Vial**

**Name of the Item** : Meropenem Injection 1g Vial  
**SR number/Order No** : 00102102 / 2023/ADB/X/C/P/00007  
**Manufacturer** : MAAN PHARMACEUTICALS LTD

This has reference to the above item.

MSD has received Meropenem Injection 1g Vial with assurance from MAAN PHARMACEUTICALS LTD for following batch numbers..

Batch Numbers	Exp Date	Batch Numbers	Exp Date	Batch Numbers	Exp Date
RP23025E	6/30/2025	RP23037E	6/30/2025	RP23024E	6/30/2025
RP23031E	6/30/2025	RP23038E	6/30/2025	RP23026E	6/30/2025
RP23032E	6/30/2025	RP23039E	7/31/2025	RP23027E	6/30/2025
RP23033E	6/30/2025	RP23040E	7/31/2025	RP23028E	6/30/2025
RP23034E	6/30/2025	RP23041E	7/31/2025	RP23029E	6/30/2025
RP23035E	6/30/2025	RP23022E	6/30/2025	RP23030E	6/30/2025
RP23036E	6/30/2025	RP23023E	6/30/2025		

If any remaining quantity has already been discarded, kindly include such quantities as well when calculating and reporting the total unused quantity.

We would appreciate receiving a year-wise breakdown together with the total unused quantity for the above perio

d. Even if there is no remaining expired stock, send it as zero.

Information regarding the Cumulative value of expired items listed above in institution is urgently required by the Medical Supplies Division.

This information is essential to obtain relevant reimbursement from the respective companies for the expired items. Please take the necessary action to submit this information to Medical Supplies Division before 12<sup>th</sup> June 2026 disregarding the details previously provided on demand, please treat this as our final request and share the relevant facts and supporting information.

(Fax Number No- 011-2686530, email : [dmsd@msd.gov.lk](mailto:dmsd@msd.gov.lk), [sco.pd1@msd.gov.lk](mailto:sco.pd1@msd.gov.lk) )

Dr. DEDUNU DIAS  
 Director - (Acting)  
 Medical Supplies Division  
 Rev. Baddegama Wimalawansa Thero Mw.,  
 Medical Supplies Division Colombo 10.

දුරකථන  
දුරකථන  
Telephones } 894113  
894114  
686528-30  
දුරකථන  
පණිවිඩ  
Telegrams } රජ බණිසන්  
සංස්ථාපිතයන්  
MEDSTORES  
ෆැක්ස්  
Fax } 941-697096  
කැබල්  
Cables } GOVTDRUG  
මගේ අංකය  
My No. } MSD/SCO-01D/E/00102102 /2026-6-3  
ඔබේ අංකය  
Your No. }



වෛද්‍ය සැපයීම් අංශය  
(සෞඛ්‍ය සේවා දෙපාර්තමේන්තුව)  
සෞඛ්‍ය සේවා විද්‍යාගාරය  
(සෞඛ්‍ය සේවා දෙපාර්තමේන්තුව)  
**MEDICAL SUPPLIES DIVISION**  
(Department of Health Services)

අංක 357, බද්දේගම විමලවංශ මාවත, කොළඹ 10, ශ්‍රී ලංකාව.  
No. 357, Baddegama Wimalawansa Mawatha, Colombo 10, Sri Lanka.

දුරකථන } 1679  
P.O.Box }

දිනය/Date : 08/06/2026

DDG/NHSL (Colombo)  
DDG/NH (Kandy)  
DDG/NH (Galle)  
Directors of Teaching Hospitals,

**Collecting of remaining expired stock details of Meropenem Injection 1g Vial**

Name of the Item : Meropenem Injection 1g Vial  
SR number/Order No : 00102102 / 2022/SPC/X/C/P/00280  
Manufacturer : MAAN PHARMACEUTICALS LTD

This has reference to the above item.

MSD has received Meropenem Injection 1g Vial with assurance from MAAN PHARMACEUTICALS LTD for following batch numbers.

Batch Numbers	Exp Date	Batch Numbers	Exp Date	Batch Numbers	Exp Date
RP23011E	2025-01-31	RP23003E	2025-01-31	RP23013E	2025-01-31
RP23016E	2025-01-31	RP23004E	2025-01-31	RP23014E	2025-01-31
RP23008E	2025-01-31	RP23005E	2025-01-31	RP23012E	2025-01-31
RP23002E	2025-01-31	RP23007E	2025-01-31	RP23018E	2025-02-28
RP23006E	2025-01-31	RP23015E	2025-01-31		
RP23010E	2025-01-31	RP23017E	2025-02-28		
RP23001E	2025-01-31	RP23009E	2025-01-31		


If any remaining quantity has already been discarded, kindly include such quantities as well when calculating and reporting the total unused quantity.

We would appreciate receiving a year-wise breakdown together with the total unused quantity for the above period. Even if there is no remaining expired stock, send it as zero.

Information regarding the Cumulative value of expired items listed above in institution is urgently required by the Medical Supplies Division.

This information is essential to obtain relevant reimbursement from the respective companies for the expired items. Please take the necessary action to submit this information to Medical Supplies Division before 12<sup>th</sup> June 2026 disregarding the details previously provided on demand, please treat this as our final request and share the relevant facts and supporting information.

(Fax Number No- 011-2686530, email : [dmsd@msd.gov.lk](mailto:dmsd@msd.gov.lk), [sco.pd1@msd.gov.lk](mailto:sco.pd1@msd.gov.lk))

  
.....  
Director  
Medical Supplies Division  
Rev. Baddegama Wimalawansa Thero Mw,  
Colombo 10.

**Dr. DEDUNU DIAS**

Director - (Acting)

Medical Supplies Division

Rev. Baddegama Wimalawansa Thero Mw,

Colombo 10.

දුරකථන  
දුරකථන  
Telephones } 694113  
694114  
686528-30

විදුලි පණිවුඩ  
පණිවුඩ  
Telegrams } රජ බඩොස්ටර්ස්  
MEDSTORES

ෆැක්ස්  
ෆැක්ස්  
Fax } 941-697096

කැබල්  
කැබල්  
Cables } GOVTDRUG

ඔබේ අංකය  
ඔබේ අංකය  
My No. } MSD/SCO-01D/E/00102001 /2026-6-3

ඔබේ අංකය  
ඔබේ අංකය  
Your No. }



වෛද්‍ය සැපයීම් අංශය  
(සෞඛ්‍ය සේවා දෙපාර්තමේන්තුව)  
சைவத்திய விநியோகப்பகுதி  
(සෞඛ්‍ය සේවාවේ නිලධාරීන්ගේ)  
**MEDICAL SUPPLIES DIVISION**  
(Department of Health Services)

අංක 357, බද්දේගම විමලවංශ මාවත, කොළඹ 10, ශ්‍රී ලංකාව.  
இல. 357, பட்டினத்தலை விமலவாசர் மாளிகை, கொழும்பு 10, சீலங்கை.  
No. 357, Baddegama Wimalawansa Mawatha, Colombo 10, Sri Lanka.

ප.ම.ප.  
ப.ம.ப.  
P.O.Box } 1679

දිනය/திகதி/Date : 18/06/2026

DDG/NHSL (Colombo),  
DDG/NH (Kandy),  
DDG/NH (Galle),  
Directors of Teaching Hospitals.

**Collecting of remaining expired stock details of Imipenem 500mg and Cilastatin 500mg Inj**

Name of the Item : Imipenem 500mg and Cilastatin 500mg Injection Vial  
SR number/Order List No : 00102001 -2021/SPC/N/C/P/00029  
Manufacturer : SWISS PARENTERALS LTD

This has reference to the above item.

MSD has received Imipenem 500mg and Cilastatin 500mg Injection Vial with assurance from SWISS PARENTERALS LTD for following batch numbers..

Batch Numbers	Exp Date	Batch Numbers	Exp Date
3323078	2025-09-30	3323077	2025-09-30
3323074	2025-09-30		
3323076	2025-09-30		
3323079	2025-09-30		
3323075	2025-09-30		
3323080	2025-09-30		

Please be good enough to provide remaining unused quantity for above batch numbers.


If any remaining quantity has already been discarded, kindly include such quantities as well when calculating and reporting the total unused quantity.

Even if there is no remaining expired stock, send it as zero.

Information regarding the Cumulative value of expired items listed above in institution is urgently required by the Medical Supplies Division.

This information is essential to obtain relevant reimbursement from the respective companies for the expired items. Please take the necessary action to submit this information to Medical Supplies Division before 12<sup>th</sup> June 2026 disregarding the details previously provided on demand, please treat this as our final request and share the relevant facts and supporting information.

(Fax Number No- 011-2686530, email : [dmsd@msd.gov.lk](mailto:dmsd@msd.gov.lk), [sco.pd1@msd.gov.lk](mailto:sco.pd1@msd.gov.lk) )

  
.....  
Director  
Medical Supplies Division  
Dr. DEDUNU DIAS  
Director - (Acting)  
Medical Supplies Division  
Dr. Baddegama Wimalawansa Thero Mw.  
Colombo 10.

දුරකථන  
Telephones } 694113  
694114  
686528-30

දිග්ධි පණිවුරු  
සේවාව  
Telegrams } රජ බණිසන්  
සංස්ථාව  
MEDSTORES

ෆැක්ස්  
Fax } 941-697096

කැබල්  
Cables } GOVTDRUG

ඔබේ අංකය  
My No. } MSD/SCO-01D/E/00102001 /2026-6-1

ඔබේ අංකය  
Your No. }



වෛද්‍ය සැපයීම් අංශය  
(සෞඛ්‍ය සේවා දෙපාර්තමේන්තුව)  
සෞඛ්‍ය සේවා විද්‍යාලය  
(සෞඛ්‍ය සේවා නිලධාරීන්ගේ)  
**MEDICAL SUPPLIES DIVISION**  
(Department of Health Services)

අංක 357, බද්දේගම විමලවංශ මාර්ග, කොළඹ 10, ශ්‍රී ලංකාව.  
இல. 357, பதேதகம் விமலவாசன் மாற்றை, கோழும்பு, 10, சீலங்கை.  
No. 357, Baddegama Wimalawansa Mawatha, Colombo 10, Sri Lanka.

ප.ම. 1679  
P.O.Box }  
දිනය/திகதி/Date : 09/06/2026


DDG/NHSL (Colombo),  
DDG/NH (Kandy),  
DDG/NH (Galle),  
Directors of Teaching Hospitals.

**Collecting of remaining expired stock details of Imipenem 500mg and Cilastatin 500mg Inj**  
Name of the Item : Imipenem 500mg and Cilastatin 500mg Injection Vial  
SR number/Order List No : 00102001 -2023/ADB/X/C/P/00007  
Manufacturer : SWISS PARENTERALS LTD

This has reference to the above item.  
MSD has received Imipenem 500mg and Cilastatin 500mg Injection Vial with assurance from SWISS PARENTERALS LTD for following batch numbers..

Batch Numbers	Exp Date	Batch Numbers	Exp Date
3323032	2025-06-30	3323027	2025-06-30
3323033	2025-06-30	3323028	2025-06-30
3323040	2025-07-31	3323029	2025-06-30
3323030	2025-06-30	3323038	2025-07-31
3323031	2025-06-30	3323039	2025-07-31
3323034	2025-06-30		

Please be good enough to provide remaining unused quantity for above batch numbers.  
If any remaining quantity has already been discarded, kindly include such quantities as well when calculating and reporting the total unused quantity.  
Even if there is no remaining expired stock, send it as zero.  
Information regarding the Cumulative value of expired items listed above in institution is urgently required by the Medical Supplies Division.  
This information is essential to obtain relevant reimbursement from the respective companies for the expired items. Please take the necessary action to submit this information to Medical Supplies Division before 12<sup>th</sup> June 2026 disregarding the details previously provided on demand, please treat this as our final request and share the relevant facts and supporting information.  
(Fax Number No- 011-2686530, email : [dmsd@msd.gov.lk](mailto:dmsd@msd.gov.lk), [sco.pd1@msd.gov.lk](mailto:sco.pd1@msd.gov.lk) )

  
.....  
Director  
Medical Supplies Division

**Dr. DEDUNU DIAS**  
Director - (Acting)  
Medical Supplies Division  
Rev. Baddegama Wimalawansa Thero Mw.,  
Colombo 10.

දුරකථන  
Telephones } 694113  
694114  
686528-30  
දුරකථන  
විද්‍යුත්  
පණිවිඩ  
Telegramms } රජ මහා විද්‍යාල  
සෞඛ්‍ය  
සේවය  
MEDSTORES  
ලැක්ෂ  
වැරදි  
Fax } 941-697096  
කැබල්ල  
Cables } GOVTRUG  
මාගේ අංකය  
My No. } MSD/SCO-01D/E/00102001 /2026-6-5  
ඔබේ අංකය  
Your No. }



වෛද්‍ය සැපයීම් අංශය  
(සෞඛ්‍ය සේවා දෙපාර්තමේන්තුව)  
සෞඛ්‍ය සේවා විද්‍යාල සංවිධානය  
(සෞඛ්‍ය සේවා දෙපාර්තමේන්තුව)  
**MEDICAL SUPPLIES DIVISION**  
(Department of Health Services)  
අංක 357, බද්දේගම විමලවංශ මාවත, කොළඹ 10, ශ්‍රී ලංකාව.  
No. 357, Baddegama Wimalawansa Mawatha, Colombo 10, Sri Lanka.  
දු. සං. } 1679  
දු. ප. }  
P.O.Box }  
දිනය/දිනය/Date : 08/06/2026

DDG/NHSL (Colombo),  
DDG/NH (Kandy),  
DDG/NH (Galle) ,  
Directors of Teaching Hospitals.


**Collecting of remaining expired stock details of Imipenem 500mg and Cilastatin 500mg Inj**

**Name of the Item : Imipenem 500mg and Cilastatin 500mg Injection Vial**  
**SR number/Order List No : 00102001 -2023/SPC/E/C/P/0024**  
**Manufacturer : MAAN PHARMACEUTICALS LTD**

This has reference to the above item.  
MSD has received Imipenem 500mg and Cilastatin 500mg Injection Vial with assurance from MAAN PHARMACEUTICALS LTD for following batch numbers..

Batch Numbers	Exp Date
IC23010E	2025-09-30
IC23015E	2025-09-30
IC23013E	2025-09-30
IC23012E	2025-09-30
IC23014E	2025-09-30
IC23011E	2025-09-30

Please be good enough to provide remaining unused quantity for above batch numbers.  
If any remaining quantity has already been discarded, kindly include such quantities as well when calculating and reporting the total unused quantity.  
Even if there is no remaining expired stock, send it as zero.  
Information regarding the Cumulative value of expired items listed above in institution is urgently required by the Medical Supplies Division.  
This information is essential to obtain relevant reimbursement from the respective companies for the expired items. Please take the necessary action to submit this information to Medical Supplies Division before 12<sup>th</sup> June 2026 disregarding the details previously provided on demand, please treat this as our final request and share the relevant facts and supporting information.  
(Fax Number No- 011-2686530, email : [dmsd@msd.gov.lk](mailto:dmsd@msd.gov.lk), [sco.pd1@msd.gov.lk](mailto:sco.pd1@msd.gov.lk) )

  
.....  
Director } **Dr. DEDUNU DIAS**  
Medical Supplies Division } Director - (Acting)  
Rev. Baddegama Wimalawansa Thero Mw. }  
Colombo 10. }