

My No: MSD/SCU(S)/Cir/2025
Medical Supplies Division,
357, Ven. Baddegama Wimalawansa Thero Mawatha,
Colombo 10.
Tel: (011)2694114/13
-07-2026

Circular No: **MSD/Q/P/2026/17**

To :

DDG/NHSL – Colombo,
DDG/NH – Kandy,
DDG/NH – Galle,
All Provincial Directors of Health Services,
All Regional Directors of Health Services,
All Directors of Teaching Hospitals,
All Directors of Specialized Campaigns,
Director, N.I.H.S Kalutara,
All MOIC/MOH- Institutions,
MOIC/Medical Institutions of Line Ministry

REPORT ON FAILING SAMPLE – Sodium Chloride Eye Drops 5 %, 10mL-15mL Vial/Bottle

MSD Order List No: 2025/SPC/N/C/P/00008

PA Order No: DHS/AR/008/2025

Re-above, details of the letter NMRA/PV/QF06/2026 dated 30th June 2026 received from CEO/NMRA are circulated herewith for your information and necessary action, please

1.1) Name of the product/ Item : **Sodium Chloride Eye Drops 5 %, 10mL-15mL Vial**
Sodium Chloride 5% ophthalmic solution BP (Hypet)

SR : **00942101**

1.2) Manufacturer : The Schazoo Pharmaceutical Laboratories Pvt. Ltd, Kalalwala Stop,
20km Lahore-Jaranwala Road, Distt: Sheikhpura, Pakistan

1.3) Batch Details :

Batch No	Date of Manufacture	Date of Expiry
HED 23	2025 July	2027 July

1.4) Reference of NMRA : To the decision of the **Safety and Risk Evaluation Subcommittee (SAFRESC)** dated **22nd June 2026**, decided to withdraw the above mentioned batch based on NMQUAL Report; LR 40594 and SPC Quality assurance lab report; 2025/28/3DLA A1-10.

2. CEO-NMRA Instruction : **To withdraw the above mentioned batch (B. No: HED 23) from use immediately**

3. Considering above facts, you are requested the following

3.1) **To withdraw the above batch (as detailed 1.1-1.3 above) from use immediately**

4. Please note: It would be your responsibility, in addition to point 3,

4.1) To follow the instructions given by Secretary of Health, under the circular No: 01/2021 dated 08.12.2021.

5. 5.1) Please bring the contents of this circular to all concerned in your Province/ Region/ Institution.

5.2) Please Note: It is the responsibility of all RDHS to ensure that the copies of this circular is circulated among all the heads of the institutions under your purview.


Director,
Medical Supplies Division.

Cc:

- | | | |
|---|---|------------------------|
| 1. Auditor General - f.i. | 2.DGHS-f.i. | 3. DDG(M/S) - f.i. |
| 4. Chairman/SPC - f.i & n.a. | 5.CEO/NMRA – f.i. | 6. DD/MSD - f.i. & n.a |
| 7. D/NMQAL – f.i. | | |
| 8. Chief Internal Auditor/ MOH-f.i. | 9.D/(Stock Verific.)/MOH - f.i. | |
| 10. Chief Accountant (Finance) / MSD – To make arrangements to recover the relevant charges | | |
| 11. Chief Accountant (Supply) / MSD – To make arrangements to recover the relevant charges | | |
| 12. AD/ICT Unit – To publish in MSD web site | | |
| 13. AD(P)/MSD – f.i. & n.a. | | |
| 14. AD (M&C) – f.i. | | |
| 15. AD (Stores)/MSD - f.i. | 16. AD(Dispatch)/MSD – f.i. | |
| 17. Chairperson / MEC- f.i. | | |
| 18. All DP/DPDHS - f.i. & n.a. | 19. SP / MSD - f.i. | |
| 20. HSCO (P2) - f.i. & n.a. | | |
| 21. SCO (S/WH 05) - f.i. & n.a. | | |
| 22. SCO (D/WH 05)- f.i & n.a. | 23.MSA-WH (05)/MSD - f.i. & n.a. | |
| 24. MO (Technical unit)/MOH- f.i & n.a. | 25. H/Destruction Unit (MSD) - f.i & n.a. | |