

My No: MSD/SCU(S)/Cir/2025
Medical Supplies Division,
357, Ven. Baddegama Wimalawansa Thero Mawatha,
Colombo 10.
Tel: (011)2694114/13
-07-2026

Circular No: **MSD/Q/P/2026/18**

To :

DDG/NHSL – Colombo,
DDG/NH – Kandy,
DDG/NH – Galle,
All Provincial Directors of Health Services,
All Regional Directors of Health Services,
All Directors of Teaching Hospitals,
All Directors of Specialized Campaigns,
Director, N.I.H.S Kalutara,
All MOIC/MOH- Institutions,
MOIC/Medical Institutions of Line Ministry

REPORT ON FAILING SAMPLE – Amiodarone Intravenous infusion 150mg in 3mL Ampoule

MSD Order List No: 2023/SPC/N/R/P/00120
2024/SPC/N/R/P/00058
2025/SPC/N/R/P/00059

PA Order No: DHS/NV/091/2023
DHS/NV/028/2024
DHS/NV/070/2025

Re-above, details of the letter NMRA/PV/QF07/2026 dated 30th June 2026 received from CEO/NMRA are circulated herewith for your information and necessary action, please

1.1) Name of the product/ Item : **Amiodarone Intravenous infusion 150mg in 3mL Ampoule**
Amiodarone Hydrochloride Injection 50mg/mL-3mL ampoule
(Amrone)

SR : **00200702**

1.2) Manufacturer : Verve Human Care Laboratories, 15-A, Pharmacity, Selaqui, Dehradun-248011 (Uttarakhand), India

1.3) Batch Details :

Batch No	Date of Manufacture	Date of Expiry
E642301	2023 December	2025 November
E642402	2024 June	2026 May
E642403	2024 June	2026 May
E642501	2025 June	2027 May

1.4) Reference of NMRA : To the decision of the **Safety and Risk Evaluation Subcommittee (SAFRESC)** dated **22nd June 2026**, based on the NMQUAL Report; LR 40521, LR 40513, LR 40136, LR 39724, LR 40135, LR 40637

2. CEO-NMRA Instruction : **To withdraw the above mentioned batches (B. No: E642402, E642403, E642301 and E642501) from use immediately**

3. Considering above facts, you are requested the following

3.1) **To withdraw the batch No. E642501 (as detailed 1.1-1.3 above) from use immediately**

3.2) **To consider the batches No. E642301, E642402 and E642403 (as detailed 1.1 -1.3 above) as withdrawn from here forth**

(Note: Batches mentioned in point, 3.2 are already expired)

4. Please note: It would be your responsibility, in addition to point 3,

4.1) To follow the instructions given by Secretary of Health, under the circular No: 01/2021 dated 08.12.2021.

5. 5.1) Please bring the contents of this circular to all concerned in your Province/ Region/ Institution.

5.2) Please Note: It is the responsibility of all RDHS to ensure that the copies of this circular is circulated among all the heads of the institutions under your purview.



Director,
Medical Supplies Division.

Cc:

- | | | |
|---|---|------------------------|
| 1. Auditor General - f.i. | 2.DGHS-f.i. | 3. DDG(M/S) - f.i. |
| 4. Chairman/SPC - f.i & n.a. | 5. CEO/NMRA – f.i. | 6. DD/MSD - f.i. & n.a |
| 7. D/NMQAL – f.i. | | |
| 8. Chief Internal Auditor/ MOH-f.i. | 9.D/(Stock Verific.)/MOH - f.i. | |
| 10. Chief Accountant (Finance) / MSD – To make arrangements to recover the relevant charges | | |
| 11. Chief Accountant (Supply) / MSD – To make arrangements to recover the relevant charges | | |
| 12. AD/ICT Unit – To publish in MSD web site | | |
| 13. AD(P)/MSD – f.i. & n.a. | | |
| 14. AD (M&C) – f.i. | | |
| 15. AD (Stores)/MSD - f.i. | 16. AD(Dispatch)/MSD – f.i. | |
| 17. Chairperson / MEC- f.i. | | |
| 18. All DP/DPDHS - f.i. & n.a. | 19. SP / MSD - f.i. | |
| 20. HSCO (P3) - f.i. & n.a. | | |
| 21. SCO (S/WH 02) - f.i. & n.a. | | |
| 22. SCO (D/WH 02) - f.i & n.a. | 23.MSA-WH (02)/MSD - f.i. & n.a. | |
| 24. MO (Technical unit)/MOH- f.i & n.a. | 25. H/Destruction Unit (MSD) - f.i & n.a. | |