MSD/OsuDiriya/Assurance/M040/2023
Medical Supplies Division,
357, Rev. Baddegama Wimalawansa Thero Mw,
Colombo- 10.
13/11/2026.

DDG/NHSL (Colombo)
DDG/NH (Kandy)
All Directors of Teaching Hospitals
All Provincial directors of Health Services
All Regional Directors of Health Services
All Medical Superintendent of Base Hospitals
All District Medical Officers of District Hospitals

Collection of Remaining Expired stock details of Histidine-Tryptophan-Ketoglutarate (HTK) Solution1000mL Collapsible bag

Name of the Item : Histidine-Tryptophan-Ketoglutarate (HTK) Solution1000mL Collapsible bag
SR Number : 00406601
Manufacturer : Dr. Franz Kohler Chemie GmbH
Supplier : Mega Meditech (PVT) Ltd

Batch Number of the Item : 2321383, 2324783, 2401073, 2409971, 2413772, 2419373, 2422573, 2424683, 2427673, 2434673, 2506571, 2515571, 2518372, 2522371, 2524773, 2527573, 2531472

Expiry Date : 2024-07-31/2024-08-31/2024-12-31/2025-03-31/2025-04-30/2025-06-30/2025-031/ 2025-08-31/2025-09-30/2025-11-30/2026-02-28/2026-05-31/2026-06-30/2026-07-31/2026-08-31/ 2026-09-30/2026-10-31

This has reference to the above item. MSD has ordered Histidine-Tryptophan-Ketoglutarate (HTK) Solution1000mL Collapsible bag.
From SPC considering the forecast of year 2024/2025/2026: SPC has delivered above batch with an assurance to replacement any unused quantity at the time of expiry.

Please be kind enough to inform the unused quantity of the following product with reference to batch numbers in attached format (Annex -01) by return fax before 20.12.2026.

Even if there is no balance stock, send it as Zero in the format below.
(Fax Number: 0112697096 / Mail: sco.pd2@msd.gov.lk)

Kindly ensure that all expired stock details are reported within the specified period, as the respective institution will be responsible for any expired stock that remains unreported.

Your kind cooperation in this matter is highly appreciated.

Thank You.

Dr. DEEPANU DIAS
Director - (Acting)
Medical Supplies Division
Rev. Baddegama Wimalawansha Thero Mw.,
Colombo 10.

.....
Director,
Medical Supplies Division.

Annex -01

Name of the Item/SR No.	Batch No	Expire Date	Unused quantities
Histidine-Tryptophan-Ketoglutarate (HTK) Solution1000mL	2321383	2024-07-31	
	2324783	2024-08-31	
	2401073	2024-12-31	
	2409971	2025-03-31	
	2413772	2025-04-30	
	2419373	2025-06-30	
	2422573	2025-07-31	
	2424683	2025-08-31	
	2427673	2025-09-30	
	2434673	2025-11-30	
	2506571	2026-02-28	
	2515571	2026-05-31	
	2518372	2026-06-30	
	2522371	2026-07-31	
	2524773	2026-08-31	
	2527573	2026-09-30	
	2531472	2026-10-31	

Head of the Institution: .....

Institution : .....

Date : .....